Contents

Volume 187 No. 1 January 5, 1998

1 ***Thais P. Salazar-Mather, Jordan S. Orange, and Christine A. Biron.*** Early murine cytomegalovirus (MCMV) infection induces liver natural killer (NK) cell inflammation and protection through macrophage inflammatory protein 1α (MIP-1α)–dependent pathways

15 ***Qijun Chen, Antonio Barragan, Victor Fernandez, Annika Sundström, Martha Schlichtherle, Anders Sahlén, Johan Carlson, Santanu Datta, and Mats Wahlgren.*** Identification of *Plasmodium falciparum* erythrocyte membrane protein 1 (PfEMP1) as the rosetting ligand of the malaria parasite *P. falciparum*

25 ***René Crombie, Roy L. Silverstein, Clarinda MacLow, S. Frieda A. Pearce, Ralph L. Nachman, and Jeffrey Laurence.*** Identification of a CD36-related thrombospondin 1–binding domain in HIV-1 envelope glycoprotein gp120: relationship to HIV-1–specific inhibitory factors in human saliva

37 ***Claudio A. Mosse, Leslie Meadows, Chance J. Luckey, David J. Kittlesen, Eric L. Huczko, Craig L. Slingluff, Jr., Jeffrey Shabanowitz, Donald F. Hunt, and Victor H. Engelhard.*** The class I antigen-processing pathway for the membrane protein tyrosinase involves translation in the endoplasmic reticulum and processing in the cytosol

49 ***Yong Ke, Hakling Ma, and Judith A. Kapp.*** Antigen is required for the activation of effector activities, whereas interleukin 2 is required for the maintenance of memory in ovalbumin-specific, $CD8^+$ cytotoxic T lymphocytes

59 ***Patrick C. Wilson, Odette de Bouteiller, Yong-Jun Liu, Kathleen Potter, Jacques Banchereau, J. Donald Capra, and Virginia Pascual.*** Somatic hypermutation introduces insertions and deletions into immunoglobulin V genes

71 ***Yoshiyuki Minegishi, Elaine Coustan-Smith, Yui-Hsi Wang, Max D. Cooper, Dario Campana, and Mary Ellen Conley.*** Mutations in the human *λ5/14.1* gene result in B cell deficiency and agammaglobulinemia

79 ***Qun Lin, Chen Dong, and Max D. Cooper.*** Impairment of T and B cell development by treatment with a type I interferon

89 ***Kelli R. Ryan and Brian D. Evavold.*** Persistence of peptide-induced $CD4^+$ T cell anergy in vitro

97 ***Thomas A. Griffin, Dipankar Nandi, Miguel Cruz, Hans Jörg Fehling, Luc Van Kaer, John J. Monaco, and Robert A. Colbert.*** Immunoproteasome assembly: cooperative incorporation of interferon γ (IFN-γ)–inducible subunits

105 ***Laurence Ardouin, Jamila Ismaili, Bernard Malissen, and Marie Malissen.*** The CD3-γδε and CD3-ζ/η modules are each essential for allelic exclusion at the T cell receptor β locus but are both dispensable for the initiation of V to (D)J recombination at the T cell receptor–β, –γ, and –δ loci

Brief Definitive Reports

117 ***Jacques Zimmer, Lionel Donato, Daniel Hanau, Jean-Pierre Cazenave, Marie-Marthe Tongio, Alessandro Moretta, and Henri de la Salle.*** Activity and phenotype of natural killer cells in peptide transporter (TAP)-deficient patients (type I bare lymphocyte syndrome)

123 ***Ivy Suzuki and Pamela J. Fink.*** Maximal proliferation of cytotoxic T lymphocytes requires reverse signaling through Fas ligand

129 ***Raffaella Bonecchi, Giancarlo Bianchi, Paola Panina Bordignon, Daniele D'Ambrosio, Rosmarie Lang, Alessandro Borsatti, Silvano Sozzani, Paola Allavena, Patrick A. Gray, Alberto Mantovani, and Francesco Sinigaglia.*** Differential expression of chemokine receptors and chemotactic responsiveness of type 1 T helper cells (Th1s) and Th2s

135 ***Maurizio Molinari, Mariolina Salio, Carmela Galli, Nathalie Norais, Rino Rappuoli, Antonio Lanzavecchia, and Cesare Montecucco.*** Selective inhibition of Ii-dependent antigen presentation by *Helicobacter pylori* toxin VacA

141 ***Correction***

Volume 187 No. 2 January 19, 1998

Commentary

143 ***William C. Sha.*** Regulation of immune responses by NF-κB/Rel transcription factors

Articles

147 ***Guido Franzoso, Louise Carlson, Ljiljana Poljak, Elizabeth W. Shores, Suzanne Epstein, Antonio Leonardi, Alex Grinberg, Tom Tran, Tanya Scharton-Kersten, Miriam Anver, Paul Love, Keith Brown, and Ulrich Siebenlist.*** Mice deficient in nuclear factor (NF)-κB/p52 present with defects in humoral responses, germinal center reactions, and splenic microarchitecture

161 ***Malcolm B. Lowry, Anne-Marie Duchemin, John M. Robinson, and Clark L. Anderson.*** Functional separation of pseudopod extension and particle internalization during Fcγ receptor–mediated phagocytosis

177 ***Jan Buer, Astrid Lanoue, Anke Franzke, Corinne Garcia, Harald von Boehmer, and Adelaida Sarukhan.*** Interleukin 10 secretion and impaired effector function of major histocompatibility complex class II–restricted T cells anergized in vivo

185 ***Jorge H. Caamaño, Cheryl A. Rizzo, Stephen K. Durham, Debra S. Barton, Carmen Raventós-Suárez, Clifford M. Snapper, and Rodrigo Bravo.*** Nuclear factor (NF)-κB2 (p100/p52) is required for normal splenic microarchitecture and B cell–mediated immune responses

197 ***Thomas G. Diacovo, Michelle D. Catalina, Mark H. Siegelman, and Ulrich H. von Andrian.*** Circulating activated platelets reconstitute lymphocyte homing and immunity in L-selectin–deficient mice

205 ***R. Aaron Warnock, Sanaz Askari, Eugene C. Butcher, and Ulrich H. von Andrian.*** Molecular mechansims of lymphocyte homing to peripheral lymph nodes

217 ***Marie-Josée Guimond, Baoping Wang, and B. Anne Croy.*** Engraftment of bone marrow from severe combined immunodeficient (SCID) mice reverses the reproductive deficits in natural killer cell-deficient tgε26 mice

225 ***Alexander Khoruts, Anna Mondino, Kathryn A. Pape, Steven L. Reiner, and Marc K. Jenkins.*** A natural immunological adjuvant enhances T cell clonal expansion through a CD28-dependent, interleukin (IL)-2–independent mechanism

237 ***Masaki Kashiwada, Yumiko Shirakata, Jun-Ichiro Inoue, Hiroyasu Nakano, Kenji Okazaki, Ko Okumura, Tadashi Yamamoto, Hitoshi Nagaoka, and Toshitada Takemori.*** Tumor necrosis factor receptor–associated factor 6 (TRAF6) stimulates extracellular signal–related kinase (ERK) activity in CD40 signaling along a Ras-independent pathway

245 ***Susan Kovats, Catherine E. Grubin, Susan Eastman, Paul deRoos, Ashok Dongre, Luc Van Kaer, and Alexander Y. Rudensky.*** Invariant chain–independent function of H-2M in the formation of endogenous peptide–major histocompatibility complex class II complexes in vivo

Brief Definitive Reports

253 ***Cristina Ciurli, David N. Posnett, Rafick-Pierre Sékaly, and François Denis.*** Highly biased CDR3 usage in restricted sets of β chain variable regions during viral superantigen 9 response

259 ***R. Wasserman, Y.-S. Li, S.A. Shinton, C.E. Carmack, T. Manser, D.L. Wiest, K. Hayakawa, and R.R. Hardy.*** A novel mechanism for B cell repertoire maturation based on response by B cell precursors to pre–B receptor assembly

265 ***Elke Jäger, Yao-Tseng Chen, Jan W. Drijfhout, Julia Karbach, Mark Ringhoffer, Dirk Jäger, Michael Arand, Hisashi Wada, Yuji Noguchi, Elisabeth Stockert, Lloyd J. Old, and Alexander Knuth.*** Simultaneous humoral and cellular immune response against cancer–testis antigen NY-ESO-1: definition of human histocompatibility leukocyte antigen (HLA)-A2–binding peptide epitopes

271 ***Oliver Schulz, Herb F. Sewell, and Farouk Shakib.*** Proteolytic cleavage of CD25, the α subunit of the human T cell interleukin 2 receptor, by Der p 1, a major mite allergen with cysteine protease activity

Volume 187 No. 3 February 2, 1998

277 ***Shigeki Shichijo, Masanobu Nakao, Yasuhisa Imai, Hideo Takasu, Mayumi Kawamoto, Fumihiko Niiya, Damu Yang, Yuji Toh, Hideaki Yamana, and Kyogo Itoh.*** A gene encoding antigenic peptides of human squamous cell carcinoma recognized by cytotoxic T lymphocytes

289 ***Yasunobu Hashimoto, Nobuko Shindo-Okada, Masachika Tani, Yasuhiro Nagamachi, Kaori Takeuchi, Toshihiko Shiroishi, Hiroshi Toma, and Jun Yokota.*** Expression of the *Elm1* gene, a novel gene of the CCN (connective tissue growth factor, Cyr61/Cef10, and neuroblastoma overexpressed gene) family, suppresses in vivo tumor growth and metastasis of K-1735 murine melanoma cells

297 ***Hiroshi Matsuda, Hiromi Koyama, Hiroaki Sato, Junko Sawada, Atsuko Itakura, Akane Tanaka, Masahiro Matsumoto, Katsuhiko Konno, Hiroko Ushio, and Kuniko Matsuda.*** Role of nerve growth factor in cutaneous wound healing: accelerating effects in normal and healing-impaired diabetic mice

307 ***Antonella Mencacci, Giuseppe Del Sero, Elio Cenci, Cristiana Fè d'Ostiani, Angela Bacci, Claudia Montagnoli, Manfred Kopf, and Luigina Romani.*** Endogenous interleukin 4 is required for development of protective $CD4^+$ T helper type 1 cell responses to *Candida albicans*

319 ***Andrew S. Hodtsev, Yongwon Choi, Eugenia Spanopoulou, and David N. Posnett.*** Mycoplasma superantigen is a CDR3-dependent ligand for the T cell antigen receptor

329 ***Thomas Bombeli, Barbara R. Schwartz, and John M. Harlan.*** Adhesion of activated platelets to endothelial cells: evidence for a GPIIbIIIa-dependent bridging mechanism and novel roles for endothelial intercellular adhesion molecule 1 (ICAM-1), $\alpha_v\beta_3$ integrin, and GPIbα

341 ***Kim Goldsmith, Wei Chen, David C. Johnson, and Robert L. Hendricks.*** Infected cell protein (ICP)47 enhances herpes simplex virus neurovirulence by blocking the $CD8^+$ T cell response

349 ***Behazine Combadière, Caetano Reis e Sousa, Ronald N. Germain, and Michael J. Lenardo.*** Selective induction of apoptosis in mature T lymphocytes by variant T cell receptor ligands

357 ***David F. Tough and Jonathan Sprent.*** Lifespan of γ/δ T cells

367 ***Yan Shi, Arunan Kaliyaperumal, Liangjun Lu, Scott Southwood, Alessandro Sette, Marissa A. Michaels, and Syamal K. Datta.*** Promiscuous presentation and recognition of nucleosomal autoepitopes in lupus: role of autoimmune T cell receptor α chain

379 ***Fred Lühder, Jonathan Katz, Christophe Benoist, and Diane Mathis.*** Major histocompatibility complex class II molecules can protect from diabetes by positively selecting T cells with additional specificities

389 ***Mamoru Watanabe, Yoshitaka Ueno, Tomoharu Yajima, Susumu Okamoto, Tatsuhiko Hayashi, Motomi Yamazaki, Yasushi Iwao, Hiromasa Ishii, Sonoko Habu, Masahiro Uehira, Hirofumi Nishimoto, Hiromichi Ishikawa, Jun-ichi Hata, and Toshifumi Hibi.*** Interleukin 7 transgenic mice develop chronic colitis with decreased interleukin 7 protein accumulation in the colonic mucosa

403 ***L. Conti, G. Rainaldi, P. Matarrese, B. Varano, R. Rivabene, S. Columba, A. Sato, F. Belardelli, W. Malorni, and S. Gessani.*** The HIV-1 vpr protein acts as a negative regulator of apoptosis in a human lymphoblastoid T cell line: possible implications for the pathogenesis of AIDS

415 ***Holger Hebestreit, Birgit Dibbert, Ivo Balatti, Doris Braun, Andreas Schapowal, Kurt Blaser, and Hans-Uwe Simon.*** Disruption of Fas receptor signaling by nitric oxide in eosinophils

Brief Definitive Reports

427 ***Fred Lühder, Petter Höglund, James P. Allison, Christophe Benoist, and Diane Mathis.*** Cytotoxic T lymphocyte–associated antigen 4 (CTLA-4) regulates the unfolding of autoimmune diabetes

433 ***Delphine J. Lee, Amila Abeyratne, Dennis A. Carson, and Maripat Corr.*** Induction of an antigen-specific, CD1-restricted cytotoxic T lymphocyte response in vivo

439 ***Silvano Sozzani, Silvia Ghezzi, Gioacchino Iannolo, Walter Luini, Alessandro Borsatti, Nadia Polentarutti, Antonio Sica, Massimo Locati, Charles Mackay, Timothy N.C. Wells, Priscilla Biswas, Elisa Vicenzi, Guido Poli, and Alberto Mantovani.*** Interleukin 10 increases CCR5 expression and HIV infection in human monocytes

445 ***Siddhartha Mukherjee, Pankaj Trivedi, David M. Dorfman, George Klein, and Alain Townsend.*** Murine cytotoxic T lymphocytes recognize an epitope in an EBNA-1 fragment, but fail to lyse EBNA-1–expressing mouse cells

Volume 187 No. 4 February 16, 1998

451 ***Philippe Gasque, Jane Jones, Sim K. Singhrao, and B. Paul Morgan.*** Identification of an astrocyte cell population from human brain that expresses perforin, a cytotoxic protein implicated in immune defense

461 ***Tonino Alonzi, Elena Fattori, Domenico Lazzaro, Patrizia Costa, Lesley Probert, George Kollias, Fabrizio De Benedetti, Valeria Poli, and Gennaro Ciliberto.*** Interleukin 6 is required for the development of collagen-induced arthritis

469 ***Maria Tkachuk, Stephan Bolliger, Bernhard Ryffel, Gerd Pluschke, Theresa A. Banks, Suzanne Herren, Roland H. Gisler, and Marie H. Kosco-Vilbois.*** Crucial role of tumor necrosis factor receptor 1 expression on nonhematopoietic cells for B cell localization within the splenic white pulp

479 ***Margaret A. Holmes, Timothy N. Buss, and Jefferson Foote.*** Conformational correction mechanisms aiding antigen recognition by a humanized antibody

487 ***Tao Fan, Hang Lu, He Hu, Lianfa Shi, Grant A. McClarty, Dwight M. Nance, Arnold H. Greenberg, and Guangming Zhong.*** Inhibition of apoptosis in chlamydia-infected cells: blockade of mitochondrial cytochrome c release and caspase activation

497 ***Ulf Sibelius, Katja Hattar, Angelika Schenkel, Thomas Noll, Elena Csernok, Wolfgang Ludwig Gross, Werner-Johannes Mayet, Hans-Michael Piper, Werner Seeger, and Friedrich Grimminger.*** Wegener's granulomatosis: anti–proteinase 3 antibodies are potent inductors of human endothelial cell signaling and leakage response

505 ***Sebastian Amigorena, Danielle Lankar, Volker Briken, Laurent Gapin, Mireille Viguier, and Christian Bonnerot.*** Type II and III receptors for immunoglobulin G (IgG) control the presentation of different T cell epitopes from single IgG-complexed antigens

517 ***Kanyawim Kirtikara, Scott G. Morham, Rajendra Raghow, Stanley J. F. Laulederkind, Takuro Kanekura, Sarita Goorha, and Leslie R. Ballou.*** Compensatory prostaglandin E_2 biosynthesis in cyclooxygenase 1 or 2 null cells

525 ***Defu Zeng, Michael Dick, Lirong Cheng, Masahiko Amano, Sussan Dejbakhsh-Jones, Philip Huie, Richard Sibley, and Samuel Strober.*** Subsets of transgenic T cells that recognize CD1 induce or prevent murine lupus: role of cytokines

537 ***Benjamin M. Segal, Bonnie K. Dwyer, and Ethan M. Shevach.*** An interleukin (IL)-10/IL-12 immunoregulatory circuit controls susceptibility to autoimmune disease

547 ***Paul J. Utz, Maria Hottelet, Walther J. van Venrooij, and Paul Anderson.*** Association of phosphorylated serine/arginine (SR) splicing factors with the U1–small ribonucleoprotein (snRNP) autoantigen complex accompanies apoptotic cell death

561 ***Klaus Josef Erb, John W. Holloway, Alexandra Sobeck, Heidrun Moll, and Graham Le Gros.*** Infection of mice with *Mycobacterium bovis*–bacillus Calmette-Guérin (BCG) suppresses allergen-induced airway eosinophilia

571 ***Susan D. Spencer, Francesco Di Marco, Jeff Hooley, Sharon Pitts-Meek, Michele Bauer, Anne M. Ryan, Bernard Sordat, Verna C. Gibbs, and Michel Aguet.*** The orphan receptor CRF2-4 is an essential subunit of the interleukin 10 receptor

579 ***Bodo Levkau, Barbara Herren, Hidenori Koyama, Russell Ross, and Elaine W. Raines.*** Caspase-mediated cleavage of focal adhesion kinase $pp125^{FAK}$ and disassembly of focal adhesions in human endothelial cell apoptosis

587 ***Hirokazu Hirata, Atsushi Takahashi, Susumu Kobayashi, Shin Yonehara, Hirofumi Sawai, Toshiro Okazaki, Kokichi Yamamoto, and Masataka Sasada.*** Caspases are activated in a branched protease cascade and control distinct downstream processes in Fas-induced apoptosis

601 ***Bao Lu, Barbara J. Rutledge, Long Gu, Joseph Fiorillo, Nicholas W. Lukacs, Steven L. Kunkel, Robert North, Craig Gerard, and Barrett J. Rollins.*** Abnormalities in monocyte recruitment and cytokine expression in monocyte chemoattractant protein 1–deficient mice

609 ***Jeffrey R. Dorfman and David H. Raulet.*** Acquisition of Ly49 receptor expression by developing natural killer cells

619 ***Dragana Jankovic, Allen W. Cheever, Marika C. Kullberg, Thomas A. Wynn, George Yap, Patricia Caspar, Fred A. Lewis, Raphael Clynes, Jeffrey V. Ravetch, and Alan Sher.*** $CD4^+$ T cell–mediated granulomatous pathology in schistosomiasis is downregulated by a B cell–dependent mechanism requiring Fc receptor signaling

631 ***Jeffrey N. Weiser, Nina Pan, Karin L. McGowan, Daniel Musher, Adèle Martin, and Jim Richards.*** Phosphorylcholine on the lipopolysaccharide of *Haemophilus influenzae* contributes to persistence in the respiratory tract and sensitivity to serum killing mediated by C-reactive protein

641 ***RuiRong Yuan, Raphael Clynes, Jin Oh, Jeffrey V. Ravetch, and Matthew D. Scharff.*** Antibody-mediated modulation of *Cryptococcus neoformans* infection is dependent on distinct Fc receptor functions and IgG subclasses

Brief Definitive Reports

649 ***Peter Seiler, Marie-Anne Bründler, Christine Zimmermann, Doris Weibel, Michael Bruns, Hans Hengartner, and Rolf M. Zinkernagel.*** Induction of protective cytotoxic T cell responses in the presence of high titers of virus-neutralizing antibodies: implications for passive and active immunization

655 ***Daniel F. Legler, Marcel Loetscher, Regula Stuber Roos, Ian Clark-Lewis, Marco Baggiolini, and Bernhard Moser.*** B cell–attracting chemokine 1, a human CXC chemokine expressed in lymphoid tissues, selectively attracts B lymphocytes via BLR1/CXCR5

661 ***Correction***

Volume 187 No. 5 March 2, 1998

663 ***Raelene J. Grumont, Ian J. Rourke, Lorraine A. O'Reilly, Andreas Strasser, Kensuke Miyake, William Sha, and Steve Gerondakis.*** B lymphocytes differentially use the Rel and nuclear factor κB1 (NF-κB1) transcription factors to regulate cell cycle progression and apoptosis in quiescent and mitogen-activated cells

675 ***Daniel M. Miller, Brian M. Rahill, Jeremy M. Boss, Michael D. Lairmore, Joan E. Durbin, W. James Waldman, and Daniel D. Sedmak.*** Human cytomegalovirus inhibits major histocompatibility complex class II expression by disruption of the Jak/Stat pathway

685 ***Anne-Marie T. Ciupitu, Max Petersson, Carey L. O'Donnell, Kevin Williams, Satish Jindal, Rolf Kiessling, and Raymond M. Welsh.*** Immunization with a lymphocytic choriomeningitis virus peptide mixed with heat shock protein 70 results in protective antiviral immunity and specific cytotoxic T lymphocytes

693 ***Ferry Ossendorp, Erica Mengedé, Marcel Camps, Rian Filius, and Cornelis J.M. Melief.*** Specific T helper cell requirement for optimal induction of cytotoxic T lymphocytes against major histocompatibility complex class II negative tumors

703 ***Ulla-Carin Tornberg, Ingela Bergqvist, Matthias Haury, and Dan Holmberg.*** Regulation of B lymphocyte development by the truncated immunoglobulin heavy chain protein Dμ

711 ***Alicia Algeciras, David H. Dockrell, David H. Lynch, and Carlos V. Paya.*** CD4 regulates susceptibility to Fas ligand– and tumor necrosis factor–mediated apoptosis

721 ***Brian W.P. Seymour, Laurel J. Gershwin, and Robert L. Coffman.*** Aerosol-induced immunoglobulin (Ig)-E unresponsiveness to ovalbumin does not require $CD8^+$ or T cell receptor (TCR)-γ/δ^+ T cells or interferon (IFN)-γ in a murine model of allergen sensitization

733 ***William J. Karpus, Kevin J. Kennedy, Steven L. Kunkel, and Nicholas W. Lukacs.*** Monocyte chemotactic protein 1 regulates oral tolerance induction by inhibition of T helper cell 1–related cytokines

743 ***Sanjay Ram, Ajay K. Sharma, Scott D. Simpson, Sunita Gulati, Daniel P. McQuillen, Michael K. Pangburn, and Peter A. Rice.*** A novel sialic acid binding site on factor H mediates serum resistance of sialylated *Neisseria gonorrhoeae*

753 ***Conrad C. Bleul, Joachim L. Schultze, and Timothy A. Springer.*** B lymphocyte chemotaxis regulated in association with microanatomic localization, differentiation state, and B cell receptor engagement

763 ***Stephan Ehl, Joachim Hombach, Peter Aichele, Thomas Rülicke, Bernhard Odermatt, Hans Hengartner, Rolf Zinkernagel, and Hanspeter Pircher.*** Viral and bacterial infections interfere with peripheral tolerance induction and activate $CD8^+$ T cells to cause immunopathology

775 ***Katherine N. Weilbaecher, Christine L. Hershey, Clifford M. Takemoto, Martin A. Horstmann, Timothy J. Hemesath, Armen H. Tashjian, Jr., and David E. Fisher.*** Age-resolving osteopetrosis: a rat model implicating microphthalmia and the related transcription factor TFE3

787 ***Damo Xu, Woon Ling Chan, Bernard P. Leung, Fang-ping Huang, Rachel Wheeler, David Piedrafita, John H. Robinson, and Foo Y. Liew.*** Selective expression of a stable cell surface molecule on type 2 but not type 1 helper T cells

Brief Definitive Reports

795 ***Masaki Hikida and Hitoshi Ohmori.*** Rearrangement of λ light chain genes in mature B cells in vitro and in vivo. Function of reexpressed recombination-activating gene (*RAG*) products

801 ***Elizabeth Geras-Raaka, Leandros Arvanitakis, Carlos Bais, Ethel Cesarman, Enrique A. Mesri, and Marvin C. Gershengorn.*** Inhibition of constitutive signaling of Kaposi's sarcoma–associated herpesvirus G protein–coupled receptor by protein kinases in mammalian cells in culture

807 ***Kenneth G.C. Smith, David M. Tarlinton, Gina M. Doody, Margaret L. Hibbs, and Douglas T. Fearon.*** Inhibition of the B cell by CD22: a requirement for Lyn

813 ***Francisco Borrego, Matthias Ulbrecht, Elisabeth H. Weiss, John E. Coligan, and Andrew G. Brooks.*** Recognition of human histocompatibility leukocyte antigen (HLA)-E complexed with HLA class I signal sequence–derived peptides by CD94/NKG2 confers protection from natural killer cell–mediated lysis

Volume 187 No. 6 March 16, 1998

Commentary

819 ***Thomas Proft and John Fraser.*** Superantigens: just like peptides only different

Articles

823 ***Lukas Leder, Andrea Llera, Pascal M. Lavoie, Marina I. Lebedeva, Hongmin Li, Rafick-Pierre Sékaly, Gregory A. Bohach, Pamala J. Gahr, Patrick M. Schlievert, Klaus Karjalainen, and Roy***

A. Mariuzza. A mutational analysis of the binding of staphylococcal enterotoxins B and C3 to the T cell receptor β chain and major histocompatibility complex class II

835 ***Mei Yang, Satoshi Ōmura, Juan S. Bonifacino, and Allan M. Weissman.*** Novel aspects of degradation of T cell receptor subunits from the endoplasmic reticulum (ER) in T cells: importance of oligosaccharide processing, ubiquitination, and proteasome-dependent removal from ER membranes

847 ***Linda C. Foote, Ann Marshak-Rothstein, and Thomas L. Rothstein.*** Tolerant B lymphocytes acquire resistance to Fas-mediated apoptosis after treatment with interleukin 4 but not after treatment with specific antigen unless a surface immunoglobulin threshold is exceeded

855 ***Yingzi Cong, Steven L. Brandwein, Robert P. McCabe, A. Lazenby, Edward H. Birkenmeier, John P. Sundberg, and Charles O. Elson.*** $CD4^+$ T cells reactive to enteric bacterial antigens in spontaneously colitic C3H/HeJBir mice: increased T helper cell type 1 response and ability to transfer disease

865 ***Kimary Kulig, Dipankar Nandi, Igor Bačík, John J. Monaco, and Stanislav Vukmanović.*** Physical and functional association of the major histocompatibility complex class I heavy chain α3 domain with the transporter associated with antigen processing

875 ***Federica Sallusto, Danielle Lenig, Charles R. Mackay, and Antonio Lanzavecchia.*** Flexible programs of chemokine receptor expression on human polarized T helper 1 and 2 lymphocytes

885 ***Yoshimasa Takahashi, Pinaki R. Dutta, Douglas M. Cerasoli, and Garnett Kelsoe.*** In situ studies of the primary immune response to (4-hydroxy-3-nitrophenyl)acetyl. V. Affinity maturation develops in two stages of clonal selection

897 ***Ruggero De Maria, Maria Rita Rippo, Edward H. Schuchman, and Roberto Testi.*** Acidic sphingomyelinase (ASM) is necessary for Fas-induced GD3 ganglioside accumulation and efficient apoptosis of lymphoid cells

903 ***Dian Feng, Janice A. Nagy, Kathryn Pyne, Harold F. Dvorak, and Ann M. Dvorak.*** Neutrophils emigrate from venules by a transendothelial cell pathway in response to FMLP

917 ***Christian Hierholzer, Brian Harbrecht, John M. Menezes, John Kane, John MacMicking, Carl F. Nathan, Andrew B. Peitzman, Timothy R. Billiar, and David J. Tweardy.*** Essential role of induced nitric oxide in the initiation of the inflammatory response after hemorrhagic shock

929 ***Kerstin N. Schmidt, Christopher W. Hsu, Courtney T. Griffin, Christopher C. Goodnow, and Jason G. Cyster.*** Spontaneous follicular exclusion of SHP1-deficient B cells is conditional on the presence of competitor wild-type B cells

939 ***Douglas Kuperman, Brian Schofield, Marsha Wills-Karp, and Michael J. Grusby.*** Signal transducer and activator of transcription factor 6 (Stat6)-deficient mice are protected from antigen-induced airway hyperresponsiveness and mucus production

949 ***Klara Tenner-Racz, Hans-Jürgen Stellbrink, Jan van Lunzen, Claus Schneider, Jan-Peter Jacobs, Birgit Raschdorff, Gudrun Großschupff, Ralph M. Steinman, and Paul Racz.*** The unenlarged lymph nodes of HIV-1–infected, asymptomatic patients with high CD4 T cell counts are sites for virus replication and CD4 T cell proliferation. The impact of highly active antiretroviral therapy

Brief Definitive Reports

961 ***Frederic Geissmann, Catherine Prost, Jean-Paul Monnet, Michel Dy, Nicole Brousse, and Olivier Hermine.*** Transforming growth factor β1, in the presence of granulocyte/macrophage colony-stimulating factor and interleukin 4, induces differentiation of human peripheral blood monocytes into dendritic Langerhans cells

967 ***Toshiaki Ohteki, Hiroki Yoshida, Toshifumi Matsuyama, Gordon S. Duncan, Tak W. Mak, and Pamela S. Ohashi.*** The transcription factor interferon regulatory factor 1 (IRF-1) is important during the maturation of natural killer 1.1^+ T cell receptor–α/β^+ ($NK1^+$ T) cells, natural killer cells, and intestinal intraepithelial T cells

Volume 187 No. 7 April 6, 1998

973 ***Daniel Carrasco, Janet Cheng, Anne Lewin, Glenn Warr, Hyekyung Yang, Cheryl Rizzo, Fabio Rosas, Clifford Snapper, and Rodrigo Bravo.*** Multiple hemopoietic defects and lymphoid hyperplasia in mice lacking the transcriptional activation domain of the c-Rel protein

985 ***Hideaki Ishikawa, Estefania Claudio, Donna Dambach, Carmen Raventós-Suárez, Carol Ryan, and Rodrigo Bravo.*** Chronic inflammation and susceptibility to bacterial infections in mice lacking the polypeptide (p)105 precursor (NF-κB1) but expressing p50

997 ***Mercedes Gonzalez, Fabienne Mackay, Jeffrey L. Browning, Marie H. Kosco-Vilbois, and Randolph J. Noelle.*** The sequential role of lymphotoxin and B cells in the development of splenic follicles

1009 ***Yang-Xin Fu, Guangming Huang, Yang Wang, and David D. Chaplin.*** B lymphocytes induce the formation of follicular dendritic cell clusters in a lymphotoxin α–dependent fashion

1019 ***Leopold Oehler, Otto Majdic, Winfried F. Pickl, Johannes Stöckl, Elisabeth Riedl, Johannes Drach, Klemens Rappersberger, Klaus Geissler, and Walter Knapp.*** Neutrophil granulocyte–committed cells can be driven to acquire dendritic cell characteristics

1029 ***Kenji Fukudome, Xiaofen Ye, Naoko Tsuneyoshi, Osamu Tokunaga, Keishin Sugawara, Hiroshi Mizokami, and Masao Kimoto.*** Activation mechanism of anticoagulant protein C in large blood vessels involving the endothelial cell protein C receptor

1037 ***Mark T. Heise, Megan Connick, and Herbert W. Virgin IV.*** Murine cytomegalovirus inhibits interferon γ–induced antigen presentation to CD4 T cells by macrophages via regulation of expression of major histocompatibility complex class II–associated genes

1047 ***Kirsten J.L. Hammond, Lynn D. Poulton, Linda J. Palmisano, Pablo A. Silveira, Dale I. Godfrey, and Alan G. Baxter.*** α/β–T cell receptor $(TCR)^+CD4^-CD8^-$ (NKT) thymocytes prevent insulin-dependent diabetes mellitus in nonobese diabetic (NOD)/Lt mice by the influence of interleukin (IL)-4 and/or IL-10

1057 ***Mark T. Esser, Doris M. Haverstick, Claudette L. Fuller, Charles A. Gullo, and Vivian Lam Braciale.*** Ca^{2+} signaling modulates cytolytic T lymphocyte effector functions

1069 ***Klaus Ruckdeschel, Suzanne Harb, Andreas Roggenkamp, Mathias Hornef, Robert Zumbihl, Stephan Köhler, Jürgen Heesemann, and Bruno Rouot.*** *Yersinia enterocolitica* impairs activation of transcription factor NF-κB: involvement in the induction of programmed cell death and in the suppression of the macrophage tumor necrosis factor α production

1081 ***Nanette Solvason, Wei Wei Wu, Nisha Kabra, Fridjtof Lund-Johansen, Maria Grazia Roncarolo, Timothy W. Behrens, Didier A.M. Grillot, Gabriel Nunez, Emma Lees, and Maureen Howard.*** Transgene expression of *bcl-*x_L permits anti-immunoglobulin (Ig)–induced proliferation in *xid* B cells

1093 ***Elizabeth W. Shores, Masao Ono, Tsutomo Kawabe, Connie L. Sommers, Tom Tran, Kin Lui, Mark C. Udey, Jeffrey Ravetch, and Paul E. Love.*** T cell development in mice lacking all T cell receptor ζ family members (ζ, η, and FcεRIγ)

1103 ***Ramu A. Subbramanian, Allegria Kessous-Elbaz, Robert Lodge, Janique Forget, Xiao-Jian Yao, Dominique Bergeron, and Eric A. Cohen.*** Human immunodeficiency virus type 1 Vpr is a positive regulator of viral transcription and infectivity in primary human macrophages

1113 ***Rajesh T. Gandhi, Benjamin K. Chen, Stephen E. Straus, Janet K. Dale, Michael J. Lenardo, and David Baltimore.*** HIV-1 directly kills $CD4^+$ T cells by a Fas-independent mechanism

1123 ***Marzia Monica Giuliani, Giuseppe Del Giudice, Valentina Giannelli, Gordon Dougan, Gill Douce, Rino Rappuoli, and Mariagrazia Pizza.*** Mucosal adjuvanticity and immunogenicity of LTR72, a novel mutant of *Escherichia coli* heat-labile enterotoxin with partial knockout of ADP-ribosyltransferase activity

Brief Definitive Reports

1133 ***Craig Hammerberg, Santosh K. Katiyar, Michael C. Carroll, and Kevin D. Cooper.*** Activated

complement component 3 (C3) is required for ultraviolet induction of immunosuppression and antigenic tolerance

1139 ***Liang Peng Yang, James L. Riley, Richard G. Carroll, Carl H. June, James Hoxie, Bruce K. Patterson, Yusei Ohshima, Richard J. Hodes, and Guy Delespesse.*** Productive infection of neonatal $CD8^+$ T lymphocytes by HIV-1

1145 ***Siquan Sun, Hidehiro Kishimoto, and Jonathan Sprent.*** DNA as an adjuvant: capacity of insect DNA and synthetic oligodeoxynucleotides to augment T cell responses to specific antigen

1151 ***Yan Wu, Qunmin Zhou, Pan Zheng, and Yang Liu.*** CD28-independent induction of T helper cells and immunoglobulin class switches requires costimulation by the heat-stable antigen

1157 ***John R. Weber, Sigurd Ørstavik, Knut Martin Torgersen, Niels Christian Danbolt, Siri F. Berg, James C. Ryan, Kjetil Taskén, John B. Imboden, and John T. Vaage.*** Molecular cloning of the cDNA encoding pp36, a tyrosine-phosphorylated adaptor protein selectively expressed by T cells and natural killer cells

Volume 187 No. 8 April 20, 1998

Commentary

1163 ***Lloyd J. Old and Yao-Tseng Chen.*** New paths in human cancer serology

Articles

1169 ***Christophe Arpin, Odette de Bouteiller, Diane Razanajaona, Isabelle Fugier-Vivier, Francine Brière, Jacques Banchereau, Serge Lebecque, and Yong-Jun Liu.*** The normal counterpart of IgD myeloma cells in germinal center displays extensively mutated IgVH gene, $C\mu$–$C\delta$ switch, and λ light chain expression

1179 ***Almudena G. Sahuquillo, Anne Roumier, Emma Teixeiro, Rafael Bragado, and Balbino Alarcón.*** T cell receptor (TCR) engagement in apoptosis-defective, but interleukin 2 (IL-2)–producing, T cells results in impaired ZAP70/CD3-ζ association

1193 ***Kai-Michael Toellner, Sanjiv A. Luther, Daniel M.-Y. Sze, Richard K.-W. Choy, Dale R. Taylor, Ian C.M. MacLennan, and Hans Acha-Orbea.*** T helper 1 (Th1) and Th2 characteristics start to develop during T cell priming and are associated with an immediate ability to induce immunoglobulin class switching

1205 ***Pascal Schneider, Nils Holler, Jean-Luc Bodmer, Michael Hahne, Karl Frei, Adriano Fontana, and Jürg Tschopp.*** Conversion of membrane-bound Fas(CD95) ligand to its soluble form is associated with downregulation of its proapoptotic activity and loss of liver toxicity

1215 ***Matthias Mack, Bruno Luckow, Peter J. Nelson, Josef Cihak, Graham Simmons, Paul R. Clapham, Nathalie Signoret, Mark Marsh, Manfred Stangassinger, Fréderic Borlat, Timothy N.C. Wells, Detlef Schlöndorff, and Amanda E.I. Proudfoot.*** Aminooxypentane-RANTES induces CCR5 internalization but inhibits recycling: a novel inhibitory mechanism of HIV infectivity

1225 ***Stephen J. Simpson, Samir Shah, Martina Comiskey, Ype P. de Jong, Baoping Wang, Emiko Mizoguchi, Atul K. Bhan, and Cox Terhorst.*** T cell–mediated pathology in two models of experimental colitis depends predominantly on the interleukin 12/signal transducer and activator of transcription (Stat)-4 pathway, but is not conditional on interferon γ expression by T cells

1235 ***Daisuke Hata, Yuko Kawakami, Naoki Inagaki, Chris S. Lantz, Toshio Kitamura, Wasif N. Khan, Mari Maeda-Yamamoto, Toru Miura, Wei Han, Stephen E. Hartman, Libo Yao, Hiroichi Nagai, Anne E. Goldfeld, Frederick W. Alt, Stephen J. Galli, Owen N. Witte, and Toshiaki Kawakami.*** Involvement of Bruton's tyrosine kinase in FcϵRI-dependent mast cell degranulation and cytokine production

1249 ***M. Albert Basson, Ursula Bommhardt, Michael S. Cole, J. Yun Tso, and Rose Zamoyska.*** CD3 ligation on immature thymocytes generates antagonist-like signals appropriate for CD8 lineage commitment, independently of T cell receptor specificity

1261 ***Isabel Marzo, Catherine Brenner, Naoufal Zamzami, Santos A. Susin, Gisela Beutner, Dieter Brdiczka, René Rémy, Zhi-Hua Xie, John C. Reed, and Guido Kroemer.*** The permeability transition pore complex: a target for apoptosis regulation by caspases and Bcl-2–related proteins

1273 ***Chihiro Matsui, Phyllis Pereira, C. Kathy Wang, Charlotte F. Nelson, Timothy Kutzkey, Caroline Lanigan, David Woodley, Masaaki Morohashi, Elizabeth A. Welsh, and Warren K. Hoeffler.*** Extent of laminin-5 assembly and secretion effect junctional epidermolysis bullosa phenotype

1285 ***Karsten Gronert, Andrew Gewirtz, James L. Madara, and Charles N. Serhan.*** Identification of a human enterocyte lipoxin A_4 receptor that is regulated by interleukin (IL)-13 and interferon γ and inhibits tumor necrosis factor α–induced IL-8 release

1295 ***Nicolas Sachsenberg, Alan S. Perelson, Sabine Yerly, Gérard A. Schockmel, Dominique Leduc, Bernard Hirschel, and Luc Perrin.*** Turnover of $CD4^+$ and $CD8^+$ T lymphocytes in HIV-1 infection as measured by Ki-67 antigen

1305 ***Hua Huang and William E. Paul.*** Impaired interleukin 4 signaling in T helper type 1 cells

1315 ***Ping Zhou and Robert A. Seder.*** CD40 ligand is not essential for induction of type 1 cytokine responses or protective immunity after primary or secondary infection with *Histoplasma capsulatum*

1325 ***Stephen H. Clarke and Larry W. Arnold.*** B-1 cell development: evidence for an uncommitted immunoglobulin $(Ig)M^+$ B cell precursor in B-1 cell differentiation

1335 ***Yong-Guang Yang, Emil deGoma, Hideki Ohdan, Jennifer L. Bracy, Yuanxin Xu, John Iacomini, Aron D. Thall, and Megan Sykes.*** Tolerization of anti–Galα1-3Gal natural antibody–forming B cells by induction of mixed chimerism

Brief Definitive Reports

1343 ***Hirofumi Nishizumi, Keisuke Horikawa, Irena Mlinaric-Rascan, and Tadashi Yamamoto.*** A double-edged kinase Lyn: a positive and negative regulator for antigen receptor–mediated signals

1349 ***Elisabeth Stockert, Elke Jäger, Yao-Tseng Chen, Matthew J. Scanlan, Ivan Gout, Julia Karbach, Michael Arand, Alexander Knuth, and Lloyd J. Old.*** A survey of the humoral immune response of cancer patients to a panel of human tumor antigens

1355 ***Akito Maeda, Mari Kurosaki, Masao Ono, Toshiyuki Takai, and Tomohiro Kurosaki.*** Requirement of SH2-containing protein tyrosine phosphatases SHP-1 and SHP-2 for paired immunoglobulin-like receptor B (PIR-B)–mediated inhibitory signal

Volume 187 No. 9 May 4, 1998

Commentaries

1361 ***Christian Bogdan.*** The multiplex function of nitric oxide in (Auto)immunity

1367 ***Andrew J. McMichael and Christopher A. O'Callaghan.*** A new look at T cells

Articles

1373 ***Marcelo J. Kuroda, Jörn E. Schmitz, Dan H. Barouch, Abie Craiu, Todd M. Allen, Alessandro Sette, David I. Watkins, Meryl A. Forman, and Norman L. Letvin.*** Analysis of Gag-specific cytotoxic T lymphocytes in simian immunodeficiency virus–infected rhesus monkeys by cell staining with a tetrameric major histocompatibility complex class I–peptide complex

1383 ***Awen Gallimore, Ann Glithero, Andrew Godkin, Alain C. Tissot, Andreas Plückthun, Tim Elliott, Hans Hengartner, and Rolf Zinkernagel.*** Induction and exhaustion of lymphocytic choriomeningitis virus–specific cytotoxic T lymphocytes visualized using soluble tetrameric major histocompatibility complex class I–peptide complexes

1395 ***M.F.C. Callan, L. Tan, N. Annels, G.S. Ogg, J.D.K. Wilson, C.A. O'Callaghan, N. Steven, A.J. McMichael, and A.B. Rickinson.*** Direct visualization of antigen-specific $CD8^+$ T cells during the primary immune response to Epstein-Barr virus in vivo

1403 ***Avlin K. Barlow, Xin He, and Charles Janeway, Jr.*** Exogenously provided peptides of a self-antigen can be processed into forms that are recognized by self–T cells

1417 ***Julie A. Frearson and Denis R. Alexander.*** The phosphotyrosine phosphatase SHP-2 participates in a multimeric signaling complex and regulates T cell receptor (TCR) coupling to the Ras/Mitogen-activated protein kinase (MAPK) pathway in Jurkat T cells

1427 ***Hidehiro Kishimoto, Charles D. Surh, and Jonathan Sprent.*** A role for Fas in negative selection of thymocytes in vivo

1439 ***Shinichiro Sawada, Kavitha Gowrishankar, Rui Kitamura, Misao Suzuki, Gen Suzuki, Satoko Tahara, and Atsushi Koito.*** Disturbed $CD4^+$ T cell homeostasis and in vitro HIV-1 susceptibility in transgenic mice expressing T cell line–tropic HIV-1 receptors

1451 ***Youichi Tajima, Eric J. Huang, Keith Vosseller, Masao Ono, Malcolm A.S. Moore, and Peter Besmer.*** Role of dimerization of the membrane-associated growth factor kit ligand in juxtacrine signaling: the Sl^{17H} mutation affects dimerization and stability—phenotypes in hematopoiesis

1463 ***Reiko Horai, Masahide Asano, Katsuko Sudo, Hirotaka Kanuka, Masatoshi Suzuki, Masugi Nishihara, Michio Takahashi, and Yoichiro Iwakura.*** Production of mice deficient in genes for interleukin (IL)-1α, IL-1β, IL-1α/β, and IL-1 receptor antagonist shows that IL-1β is crucial in turpentine-induced fever development and glucocorticoid secretion

1477 ***Dominique Vercammen, Rudi Beyaert, Geertrui Denecker, Vera Goossens, Geert Van Loo, Wim Declercq, Johan Grooten, Walter Fiers, and Peter Vandenabeele.*** Inhibition of caspases increases the sensitivity of L929 cells to necrosis mediated by tumor necrosis factor

1487 ***Claudia Lange, Thomas Schüler, and Thomas Blankenstein.*** Interleukin 4 gene–defective mice reconstituted with wild-type bone marrow fail to produce normal immunoglobulin E levels

1495 ***Bertrand Nadel, Alan Tang, Guia Escuro, Geanncarlo Lugo, and Ann J. Feeney.*** Sequence of the spacer in the recombination signal sequence affects V(D)J rearrangement frequency and correlates with nonrandom Vκ usage in vivo

1505 ***Christopher Lee, Michael N. Liang, Keri M. Tate, Joshua D. Rabinowitz, Craig Beeson, Patricia P. Jones, and Harden M. McConnell.*** Evidence that the autoimmune antigen myelin basic protein (MBP) Ac1-9 binds towards one end of the major histocompatibility complex (MHC) cleft

1517 ***D. Sean Riminton, Heinrich Körner, Deborah H. Strickland, Frances A. Lemckert, John D. Pollard, and Jonathon D. Sedgwick.*** Challenging cytokine redundancy: inflammatory cell movement and clinical course of experimental autoimmune encephalomyelitis are normal in lymphotoxin-deficient, but not tumor necrosis factor–deficient, mice

1529 ***Yoseph Ghendler, Alex Smolyar, Hsiu-Ching Chang, and Ellis L. Reinherz.*** One of the CD3ε subunits within a T cell receptor complex lies in close proximity to the Cβ FG loop

Brief Definitive Reports

1537 ***Toshihiko Akimoto, Fumio Numata, Misato Tamura, Yoshimi Takata, Noriko Higashida, Tohru Takashi, Kiyoshi Takeda, and Shizuo Akira.*** Abrogation of bronchial eosinophilic inflammation and airway hyperreactivity in signal transducers and activators of transcription (STAT)6-deficient mice

1543 ***Anna Lobell, Robert Weissert, Maria K. Storch, Cecilia Svanholm, Katrien L. de Graaf, Hans Lassmann, Roland Andersson, Tomas Olsson, and Hans Wigzell.*** Vaccination with DNA encoding an immunodominant myelin basic protein peptide targeted to Fc of immunoglobulin G suppresses experimental autoimmune encephalomyelitis

Volume 187 No. 10 May 18, 1998

Commentary

1549 ***William R. Heath, Christian Kurts, Jacques F.A.P. Miller, and Francis R. Carbone.*** Cross-tolerance: a pathway for inducing tolerance to peripheral tissue antigens

Articles

1555 ***Adam J. Adler, David W. Marsh, Gregory S. Yochum, James L. Guzzo, Ankesh Nigam, William G. Nelson, and Drew M. Pardoll.*** $CD4^+$ T cell tolerance to parenchymal self-antigens requires presentation by bone marrow–derived antigen-presenting cells

1565 ***Takahiro Kunisada, Shu-Zhuang Lu, Hisahiro Yoshida, Satomi Nishikawa, Shin-ichi Nishikawa, Masako Mizoguchi, Shin-ichi Hayashi, Lynda Tyrrell, David A. Williams, Xiaomei Wang, and B. Jack Longley.*** Murine cutaneous mastocytosis and epidermal melanocytosis induced by keratinocyte expression of transgenic stem cell factor

1575 ***Simon Hawke, Philip G. Stevenson, Samantha Freeman, and Charles R.M. Bangham.*** Long-term persistence of activated cytotoxic T lymphocytes after viral infection of the central nervous system

1583 ***Nihal Altan, Yu Chen, Melvin Schindler, and Sanford M. Simon.*** Defective acidification in human breast tumor cells and implications for chemotherapy

1599 ***Thomas J. Templeton, David B. Keister, Olga Muratova, Jo Lynn Procter, and David C. Kaslow.*** Adherence of erythrocytes during exflagellation of *Plasmodium falciparum* microgametes is dependent on erythrocyte surface sialic acid and glycophorins

1611 ***Sarah E. Townsend and Christopher C. Goodnow.*** Abortive proliferation of rare T cells induced by direct or indirect antigen presentation by rare B cells in vivo

1623 ***Jeanette C. Reece, Amanda J. Handley, E. John Anstee, Wayne A. Morrison, Suzanne M. Crowe, and Paul U. Cameron.*** HIV-1 selection by epidermal dendritic cells during transmission across human skin

1633 ***David M. Lewinsohn, Mark R. Alderson, Andria L. Briden, Stanley R. Riddell, Steven G. Reed, and Kenneth H. Grabstein.*** Characterization of human $CD8^+$ T cells reactive with *Mycobacterium tuberculosis*–infected antigen-presenting cells

1641 ***Gunter Schmidtke, Maren Eggers, Thomas Ruppert, Marcus Groettrup, Ulrich H. Koszinowski, and Peter-M. Kloetzel.*** Inactivation of a defined active site in the mouse 20S proteasome complex enhances major histocompatibility complex class I antigen presentation of a murine cytomegalovirus protein

1647 ***Awen Gallimore, Tilman Dumrese, Hans Hengartner, Rolf M. Zinkernagel, and Hans-Georg Rammensee.*** Protective immunity does not correlate with the hierarchy of virus-specific cytotoxic T cell responses to naturally processed peptides

1659 ***Xuejun Fan, Sheila E. Crowe, Simon Behar, Harshani Gunasena, Gang Ye, Helene Haeberle, Nancy Van Houten, William K. Gourley, Peter B. Ernst, and Victor E. Reyes.*** The effect of class II major histocompatibility complex expression on adherence of *Helicobacter pylori* and induction of apoptosis in gastric epithelial cells: a mechanism for T helper cell type 1–mediated damage

1671 ***Min Wu, Robert E. Bellas, Jian Shen, and Gail E. Sonenshein.*** Roles of the tumor suppressor p53 and the cyclin-dependent kinase inhibitor $p21^{WAF1/CIP1}$ in receptor-mediated apoptosis of WEHI 231 B lymphoma cells

1681 ***Clement C. Leong, Tara L. Chapman, Pamela J. Bjorkman, Danuska Formankova, Edward S. Mocarski, Joseph H. Phillips, and Lewis L. Lanier.*** Modulation of natural killer cell cytotoxicity in human cytomegalovirus infection: the role of endogenous class I major histocompatibility complex and a viral class I homolog

1689 ***Hiroyuki Moriuchi, Masako Moriuchi, and Anthony S. Fauci.*** Factors secreted by human T lymphotropic virus type I (HTLV-I)–infected cells can enhance or inhibit replication of HIV-1 in HTLV-I–uninfected cells: implications for in vivo coinfection with HTLV-I and HIV-1

1699 ***Luan A. Chau, Jeffrey A. Bluestone, and Joaquín Madrenas.*** Dissociation of intracellular signaling pathways in response to partial agonist ligands of the T cell receptor

1711 ***Michael F. Princiotta, Laurel L. Lenz, Michael J. Bevan, and Uwe D. Staerz.*** H2-M3 restricted presentation of a *Listeria*-derived leader peptide

1721 ***Karen-Qianye Liu, Stephen C. Bunnell, Christine B. Gurniak, and Leslie J. Berg.*** T cell receptor–initiated calcium release is uncoupled from capacitative calcium entry in Itk-deficient T cells

Volume 187 No. 11 June 1, 1998

Commentary

1729 ***Nayun Kim and Ursula Storb.*** The role of DNA repair in somatic hypermutation of immunoglobulin genes

Articles

1735 ***Heinz Jacobs, Yosho Fukita, Gijsbertus T.J. van der Horst, Jan de Boer, Geert Weeda, Jeroen Essers, Niels de Wind, Bevin P. Engelward, Leona Samson, Sjef Verbeek, Josiane Ménissier de Murcia, Gilbert de Murcia, Hein te Riele, and Klaus Rajewsky.*** Hypermutation of immunoglobulin genes in memory B cells of DNA repair–deficient mice

1745 ***Quy H. Phung, David B. Winter, Aaron Cranston, Robert E. Tarone, Vilhelm A. Bohr, Richard Fishel, and Patricia J. Gearhart.*** Increased hypermutation at G and C nucleotides in immunoglobulin variable genes from mice deficient in the MSH2 mismatch repair protein

1753 ***Sheng Wei, Ana M. Gamero, Jin Hong Liu, Angela A. Daulton, Nichola I. Valkov, Joseph A. Trapani, Andrew C. Larner, Michael J. Weber, and Julie Y. Djeu.*** Control of lytic function by mitogen-activated protein kinase/extracellular regulatory kinase 2 (ERK2) in a human natural killer cell line: identification of perforin and granzyme B mobilization by functional ERK2

1767 ***Joanna J. Wykrzykowska, Michael Rosenzweig, Ronald S. Veazey, Meredith A. Simon, Katherine Halvorsen, Ronald C. Desrosiers, R. Paul Johnson, and Andrew A. Lackner.*** Early regeneration of thymic progenitors in rhesus macaques infected with simian immunodeficiency virus

1779 ***Satoshi Ishii, Tomoyuki Kuwaki, Takahide Nagase, Kazushige Maki, Fumi Tashiro, Shinji Sunaga, Wei-Hua Cao, Kazuhiko Kume, Yoshinosuke Fukuchi, Koichi Ikuta, Jun-ichi Miyazaki, Mamoru Kumada, and Takao Shimizu.*** Impaired anaphylactic responses with intact sensitivity to endotoxin in mice lacking a platelet-activating factor receptor

1789 ***Antony J. Cutler, Marina Botto, Dominic van Essen, Roberta Rivi, Kevin A. Davies, David Gray, and Mark J. Walport.*** T cell–dependent immune response in C1q-deficient mice: defective interferon γ production by antigen-specific T cells

1799 ***Toni M. Antalis, May La Linn, Karen Donnan, Luis Mateo, Joy Gardner, Joanne L. Dickinson, Kathy Buttigieg, and Andreas Suhrbier.*** The serine proteinase inhibitor (Serpin) plasminogen activation inhibitor type 2 protects against viral cytopathic effects by constitutive interferon α/β priming

1813 ***Marcos E. García-Ojeda, Sussan Dejbakhsh-Jones, Irving L. Weissman, and Samuel Strober.*** An alternate pathway for T cell development supported by the bone marrow microenvironment: recapitulation of thymic maturation

1825 ***Wendy F. Davidson, Thomas Giese, and Torgny N. Fredrickson.*** Spontaneous development of plasmacytoid tumors in mice with defective Fas–Fas ligand interactions

1839 ***S.P. Berzins, R.L. Boyd, and J.F.A.P. Miller.*** The role of the thymus and recent thymic migrants in the maintenance of the adult peripheral lymphocyte pool

1849 ***Katina Saoulli, Soo Young Lee, Jennifer L. Cannons, Wen Chen Yeh, Angela Santana, Marni D. Goldstein, Naveen Bangia, Mark A. DeBenedette, Tak W. Mak, Yongwon Choi, and Tania H. Watts.*** CD28-independent, TRAF2-dependent costimulation of resting T cells by 4-1BB ligand

1863 ***Akio Matsuda, Satoshi Motoya, Shioko Kimura, Renee McInnis, Abby L. Maizel, and Akiko Takeda.*** Disruption of lymphocyte function and signaling in CD45-associated protein–null mice

1871 ***Laurent Gapin, Yoshinori Fukui, Jean Kanellopoulos, Tetsuro Sano, Armanda Casrouge, Vanessa Malier, Emmanuel Beaudoing, Daniel Gautheret, Jean-Michel Claverie, Takehiko Sasazuki, and***

Philippe Kourilsky. Quantitative analysis of the T cell repertoire selected by a single peptide–major histocompatibility complex

1885 ***Patrick A.J. Haslett, Laura G. Corral, Matthew Albert, and Gilla Kaplan.*** Thalidomide costimulates primary human T lymphocytes, preferentially inducing proliferation, cytokine production, and cytotoxic responses in the CD8+ subset

1893 ***You-Yan Zhang, Terry A. Vik, John W. Ryder, Edward F. Srour, Tyler Jacks, Kevin Shannon, and D. Wade Clapp.*** *Nf1* regulates hematopoietic progenitor cell growth and Ras signaling in response to multiple cytokines

1903 ***Daniel Binder, Maries F. van den Broek, David Kägi, Horst Bluethmann, Jörg Fehr, Hans Hengartner, and Rolf M. Zinkernagel.*** Aplastic anemia rescued by exhaustion of cytokine-secreting $CD8^+$ T cells in persistent infection with lymphocytic choriomeningitis virus

Brief Definitive Report

1921 ***Tim E. Sparer, Stephen Matthews, Tracy Hussell, Aaron J. Rae, Blanca Garcia-Barreno, Jose A. Melero, and Peter J.M. Openshaw.*** Eliminating a region of respiratory syncytial virus attachment protein allows induction of protective immunity without vaccine-enhanced lung eosinophilia

Volume 187 No. 12 June 15, 1998

1927 ***Masahiko Taguchi, Deepak Sampath, Takeharu Koga, Mario Castro, Dwight C. Look, Shin Nakajima, and Michael J. Holtzman.*** Patterns for RANTES secretion and intercellular adhesion molecule 1 expression mediate transepithelial T cell traffic based on analyses in vitro and in vivo

1941 ***James P. Stewart, Edward J. Usherwood, Alan Ross, Heather Dyson, and Tony Nash.*** Lung epithelial cells are a major site of murine gammaherpesvirus persistence

1953 ***Gino Di Sciullo, Tim Donahue, Melitta Schachner, and Steven A. Bogen.*** L1 antibodies block lymph node fibroblastic reticular matrix remodeling in vivo

1965 ***Christopher Sassetti, Kirsten Tangemann, Mark S. Singer, David B. Kershaw, and Steven D. Rosen.*** Identification of podocalyxin-like protein as a high endothelial venule ligand for L-selectin: parallels to CD34

1977 ***Pandelakis A. Koni and Richard A. Flavell.*** A role for tumor necrosis factor receptor type 1 in gut-associated lymphoid tissue development: genetic evidence of synergism with lymphotoxin β

1985 ***F. Susan Wong, Irene Visintin, Li Wen, Jennifer Granata, Richard Flavell, and Charles A. Janeway, Jr.*** The role of lymphocyte subsets in accelerated diabetes in nonobese diabetic–rat insulin promoter–B7-1 (NOD-RIP-B7-1) mice

1995 ***Paolo Salomoni, Mariusz A. Wasik, Richard F. Riedel, Krzysztof Reiss, John K. Choi, Tomasz Skorski, and Bruno Calabretta.*** Expression of constitutively active Raf-1 in the mitochondria restores antiapoptotic and leukemogenic potential of a transformation-deficient BCR/ABL mutant

2009 ***Katherine E. Cole, Christine A. Strick, Timothy J. Paradis, Kevin T. Ogborne, Marcel Loetscher, Ronald P. Gladue, Wen Lin, James G. Boyd, Bernhard Moser, Douglas E. Wood, Barbara G. Sahagan, and Kuldeep Neote.*** Interferon–inducible T cell alpha chemoattractant (I-TAC): a novel non-ELR CXC chemokine with potent activity on activated T cells through selective high affinity binding to CXCR3

2023 ***Sonja Lechleitner, Jens Gille, David R. Johnson, and Peter Petzelbauer.*** Interferon enhances tumor necrosis factor–induced vascular cell adhesion molecule 1 (CD106) expression in human endothelial cells by an interferon-related factor 1–dependent pathway

2031 ***Carmen García-Rodríguez and Anjana Rao.*** Nuclear factor of activated T cells (NFAT)-dependent transactivation regulated by the coactivators p300/CREB-binding protein (CBP)

2037 ***Thomas Wekerle, Mohamed H. Sayegh, Joshua Hill, Yong Zhao, Anil Chandraker, Kirsten G. Swenson, Guiling Zhao, and Megan Sykes.*** Extrathymic T cell deletion and allogeneic stem cell

engraftment induced with costimulatory blockade is followed by central T cell tolerance

2045 ***Prue H. Hart, Michele A. Grimbaldeston, Georgina J. Swift, Aleksandra Jaksic, Frances P. Noonan, and John J. Finlay-Jones.*** Dermal mast cells determine susceptibility to ultraviolet B–induced systemic suppression of contact hypersensitivity responses in mice

2055 ***Oleg S. Targoni and Paul V. Lehmann.*** Endogenous myelin basic protein inactivates the high avidity T cell repertoire

2065 ***Massimo Vitale, Cristina Bottino, Simona Sivori, Lorenza Sanseverino, Roberta Castriconi, Emanuela Marcenaro, Raffaella Augugliaro, Lorenzo Moretta, and Alessandro Moretta.*** NKp44, a novel triggering surface molecule specifically expressed by activated natural killer cells, is involved in non–major histocompatibility complex–restricted tumor cell lysis

2073 ***Palanisamy Kanakaraj, Peter H. Schafer, Druie E. Cavender, Ying Wu, Karen Ngo, Patrick F. Grealish, Scott A. Wadsworth, Per A. Peterson, John J. Siekierka, Crafford A. Harris, and Wai-Ping Fung-Leung.*** Interleukin (IL)-1 receptor–associated kinase (IRAK) requirement for optimal induction of multiple IL-1 signaling pathways and IL-6 production

2081 ***John P. Manis, Yansong Gu, Rusty Lansford, Eiichiro Sonoda, Roger Ferrini, Laurie Davidson, Klaus Rajewsky, and Frederick W. Alt.*** Ku70 is required for late B cell development and immunoglobulin heavy chain class switching

Brief Definitive Reports

2091 ***Joachim Werr, Xun Xie, Per Hedqvist, Erkki Ruoslahti, and Lennart Lindbom.*** β_1 integrins are critically involved in neutrophil locomotion in extravascular tissue in vivo

2097 ***Marta Muzio, Gioacchino Natoli, Simona Saccani, Massimo Levrero, and Alberto Mantovani.*** The human Toll signaling pathway: divergence of nuclear factor κB and JNK/SAPK activation upstream of tumor necrosis factor receptor–associated factor 6 (TRAF6)

2103 ***Markus Munder, Moisés Mallo, Klaus Eichmann, and Manuel Modolell.*** Murine macrophages secrete interferon γ upon combined stimulation with interleukin (IL)-12 and IL-18: a novel pathway of autocrine macrophage activation

2109 ***H. Robson MacDonald, Rosemary K. Lees, and Werner Held.*** Developmentally regulated extinction of Ly-49 receptor expression permits maturation and selection of $NK1.1^+$ T cells

2115 ***Author Index to Volume 187***

2137 ***Subject Index to Volume 187***

2149 ***Reviewers List to Volume 187***